


**Illus Illumination**

**Outdoor**

**2024 Catalogue**



**BEYOND LIGHT.  
TO THE LAST DETAILS!**



We strive to be  
the leader in the industry  
and the world's most  
respected lighting solution  
provider.


## ILLUS Lighting

ILLUS dedicates itself to provide human oriented architectural lighting solution and products for indoor and outdoor applications. A truly innovative company, ILLUS has always been at the forefront of professional office lighting since inception. Since then ILLUS continues developing innovative, custom lighting solutions that meet extremely exacting requirements in terms of ergonomics, economic efficiency and environmental compatibility and also deliver aesthetic added value to our customers. Our customers will always find that our solutions reflect the requirements satisfying a broad range of customer needs for every lighting application ILLUS is a brand that helps revealing the beauty around you where it constitutes of products and solutions designed with care and attention to detail giving professional quality products.

Our goal has always been to offer our customers a first-class product backed by unparalleled service, focused on solving our clients' illumination challenges.

## Our Vision

In ILLUS every detail created with enthusiasm constantly evolving technology to simplify the life of people. We consistently innovate and devote to decrease power consumption to ease the burden of earth. Light is essential for people's life quality and wellbeing, we care for every situation people need artificial light whenever light serves. ILLUS lighting is beyond light, to the last details.



## Where to find us

### Kingdom of Saudi Arabia-Head Office

📍 3533 Al Kharj Rd, Al Aziziyah, Riyadh 14511  
<https://maps.app.goo.gl/TRgDmL4efaDRzWWL8>

### China – illus

📍 Star Alliance, No.68 Zhongxing Avenue, Guzhen, Zhongshan,Guangdong, China  
<https://maps.app.goo.gl/cJJefWvYRyfzAQjq8>

### Spain – illus

📍 46970 Alaquàs, Valencia, Spain  
<https://goo.gl/maps/C5DejH52sP17L2Nv9>

### UAE – Build Station

📍 75 6th St - Al Quoz - Dubai - United Arab Emirates  
<https://goo.gl/maps/LCTSSYSqEB2mcAbA8>

### Qatar – Build Station

📍 Zone 43, Street 340, Salwa Rd, Doha, Qatar  
<https://maps.app.goo.gl/hQY8PbFDPbXKYiqJ6>

### Oman – Build Station

📍 18 November Street 411 Muscat, Al Aziba, 130, Oman  
<https://goo.gl/maps/6tJLBVdhiVPvUE1w7>

### Kuwait –Lighting Stores

📍 No 4, Opposite the city center entrance, 142 8 St, Shuwaikh Industrial, Kuwait  
Lighting Stores - Google Maps

### Egypt -illus


📍 13 El Obour Blgds. Salah Salem – Masr El-Gedida - Cairo  
30° 04'40.0"N 31° 18'36.7"E - Google Maps



## R&D and Manufacturing

### Manufacturing

ILLUS has two directly-operated production bases in Yangzhou covering an area of 25,000 square meters and 300 staffs. The production bases contain over 30 hi-speed automatic encapsulation lines, 15 automatic SMD and applied welding lines, 5 automatic extrusion lines and 6 automatic luminaire production lines, characterizing a complete production process for LED strip inclusive of LED encapsulation, hi-speed SMT, automatic welding and full series of water resistance with average monthly production capacity of LED strips reaching up to 1.5 million meters. Besides, ILLUS modernized manufacturing factory to achieve a complete production process for linear luminaire inclusive of precision machining, automatic assembly, color spraying and free customization with average monthly production capacity reaching up to 120,000 strips in order to assure customers of high-quality, super cost-effective products and rapid delivery.



### R&D

ILLUS has established a R&D expert team composed of over 50 core technicians, a majority of which graduated from top-rated universities and are proficient in such fields as optics, technique, material science, electrics, thermal physics, intelligent control and industrial design with more than 10years R&D experience and technical know-how in linear lighting.



### Laboratory & Inspection

Laboratory of ILLUS, covering an area of 460 square meters, was outfitted with 48 sets of equipment which was distributed as per safety zone, EMC zone, photoelectric zone, IP water resistance zone, aging zone and product reliability zone. Inspection covers products inclusive of LED strip, neon strip, linear luminaire, power supply and related accessories, with inspection standard ranging from safety, EMC, performance to product reliability. Testing reports can be tracked all the way from product design evaluation period to type approval period to guarantee quality of products.



### Patent

ILLUS strives to R&D in product and technology. So far, it has gained 3 invention patents and nearly 100 utility model patents and appearance patents.

# Contents

## Surface Frames

- Surface Mounted Luminaire 4-5

## LED Wall & Wall Luminaire

- LED Wall Luminaire 8-27
- Wall Luminaire 28-33
- LED Surface Mounted Luminaire 34-77
- LED Recessed Luminaire 78-85
- Surface Mounted Luminaire 86-125
- Recessed Step Light 126-131

## LED Bollard & Bollard Luminaire

- LED Bollard Luminaire 134-159
- Bollard Luminaire 162-189
- Fence Luminaire 190-197

## Projector Series

- Projector Luminaire 200-203
- LED Surface-Mounted Luminaire 204-207
- LED Spike Projector Luminaire 208-209
- Surface-Mounted Luminaire 210-211
- Spike Projector Luminaire 212-213

## In-Ground Luminaire Series

- LED In-ground Luminaire 216-229
- In-Ground Luminaire 230-231

## Wall Grazer

- LED Wall Grazer Luminaire 234-235
- LED Wall Grazer 236

## Solar Light

- LED Solar Street Light 240-241
- LED Solar Surface-Mounted Luminaire 242-243
- LED Solar Bollard Luminaire 244-245
- LED Solar Spike Luminaire 246-247
- LED Solar Wall Luminaire 248-249
- LED Solar Flood Light Luminaire 250



BEYOND LIGHT..  
TO THE LAST DETAILS

## Outdoor Lighting

- Surface Frames
- LED Wall & Wall Luminaire
- LED Bollard & Bollard Luminaire
- Projector Series
- In-Ground Luminaire Series
- Wall Grazer
- Solar Light



## Surface Frames

■ Surface Mounted Luminaire





Surface Mounted Luminaire

## Starlight



- 621025 Max.9W
- 621026 Max.9W
- 613321 Max.9W

- Aluminum
- IP 54    ⚡ GU10
- ⏏ AC220-240V

Beyond Light,  
To the last details



## LED Wall & Wall Luminaire

- LED Wall Luminaire
- Wall Luminaire
- LED Surface Mounted Luminaire
- LED Recessed Luminaire
- Surface Mounted Luminaire
- Recessed Step Light



LED Wall Luminaire

# Stellar




● 521308 12.5W 3000K 1350lm

■ Aluminum

IP 65 CRI 85 120°  
AC100-240V 30,000h

LED Wall Luminaire

# Dreamlike




● 521310 13W 3000K 100lm

■ Aluminum

IP 65 CRI 85 90°  
AC100-240V 50,000h

LED Wall Luminaire

# Twilight




● 521309 6.5W 3000K 385lm

■ Aluminum

IP 65 CRI 95 220°  
AC100-240V 30,000h

LED Wall Luminaire

# Marvel





● 611320 7W 3000K 486lm

■ Aluminum

IP 54 CRI 80 110°  
AC220-240V 50,000h

# Marvel




● 611321 7W 3000K 486lm ■ Aluminum  
 IP 54 CRI 80 110°  
 AC220-240V 50,000h




● 611322 7W 3000K 480lm ■ Aluminum  
 IP 54 CRI 80 110°  
 AC220-240V 50,000h

# Silverlake



● 611324 10W 3000K 396lm ■ Aluminum  
 ● 611323 10W 3000K 396lm IP 54 CRI 80 110°





● 611326 10W 3000K 396lm ■ Aluminum  
 ● 611325 10W 3000K 396lm IP 54 CRI 80 110°  
 AC220-240V 50,000h



LED Wall Luminaire

Idyll



● 521317 9W 3000K 420lm

■ Aluminum

IP 65 CRI 85  $\angle$  70°  
AC100-240V  $\text{⌚}$  30,000h

Idyll Series Family Products



● 521318




● 521319



LED Wall Luminaire

# Mushroom



● 521320 12.5W 3000K 500lm

■ Aluminum

IP 54 CRI 85  $\angle$  90°  
AC100-240V ⌚ 30,000h


## Mushroom Series Family Products




● 521321

● 521322

# Changing



- 541175 11W 3000K 370lm
- 541176 11W 4000K 400lm
- Aluminum IP 65 CRI 85 60°\*2
- AC220-240V ⚡ 30,000h



## Changing Series Family Products




- 541169
- 541170

- 541171
- 541172

- 541173
- 541174

# SkyEye



- 541195 7W 3000K 270lm
- Aluminum IP 65 CRI 85 120°
- AC220-240V ⚡ 30,000h

## SkyEye Series Family Products




- 541192

- 541193

- 541194



# Radiance



- 541182 13W 3000K 480lm
- 541183 13W 4000K 520lm

■ Aluminum  
 IP 65 CRI 85  $\angle$  110°\*2  
 AC220-240V 30,000h


# Spin



- 541184 13W 3000K 370lm

■ Aluminum  
 IP 65 CRI 85  $\angle$  280°  
 AC220-240V 30,000h


# Poetry



- 541185 13W 3000K 1000lm
- 541186 13W 4000K 1050lm

■ Aluminum  
 IP 65 CRI 85  $\angle$  120°  
 AC220-240V 30,000h

# Cube



- 541190 13W 3000K 125lm
- 541191 13W 4000K 150lm


■ Aluminum  
 IP 65 CRI 85  $\angle$  107°  
 AC220-240V 30,000h





LED Wall Luminaire

Art




- 541196 13W 3000K 490lm
- 541197 13W 4000K 520lm

■ Aluminum  
 IP 65 CRI 85 140°  
 AC220-240V 30,000h

LED Wall Luminaire

Splendor




- 541180 13W 3000K 770lm
- 541181 13W 4000K 820lm

■ Aluminum  
 IP 65 CRI 85 90°  
 AC220-240V 30,000h



LED Wall Luminaire

## Lullaby




- 541177 13W 3000K 700lm
- 541178 13W 4000K 750lm

■ Aluminum

IP 65 CRI 85  $\angle$  220°  
 AC220-240V ⌚ 30,000h

LED Wall Luminaire

## Fable




- 541179 7W 3000K 530lm

■ Aluminum

IP 65 CRI 85  $\angle$  100°  
 AC220-240V ⌚ 30,000h

# Moonlight



● 541165 20W 3000K 700lm

■ Aluminum IP 65 CRI 85  $\nabla$  120° AC220-240V 30,000h

## Moonlight Series Family Products



● 541162




● 541163



● 541164


# Daybreak



● 541166 13W 3000K 600lm

■ Aluminum


IP 65 CRI 85  $\nabla$  115°  
AC220-240V 30,000h



● 541167 20W 3000K 950lm

■ Aluminum

IP 65 CRI 85  $\nabla$  130°  
AC220-240V 30,000h




● 541168 30W 3000K 1500lm

■ Aluminum

IP 65 CRI 85  $\nabla$  130°  
AC220-240V 30,000h

Wall Luminaire

## Lane Shine




● 614191 Max.9W

■ Aluminum+Glass



IP 54    ⊥ GX53

⏏ AC220-240V



Wall Luminaire

## Warm Sun



● 614192 Max.9W


■ Aluminum+Glass

IP 54    ⊥ GX53

⏏ AC220-240V

Wall Luminaire

## Valse-R




● 614194 Max.9W

■ Aluminum+Glass

IP 54    ⊥ MR11/GU10

⏏ AC220-240V



● 614195 Max.9W

■ Aluminum+Glass


IP 54    ⊥ MR11/GU10

⏏ AC220-240V



Wall Luminaire

Valse-A




● 614196 Max.9W  
 ■ Aluminum+Glass  
 IP 54    ⌊ MR11/GU10  
 ⌋ AC220-240V



● 614197 Max.9W  
 ■ Aluminum+Glass  
 IP 54    ⌊ MR11/GU10  
 ⌋ AC220-240V

Wall Luminaire

Magic




● 614373 Max.9W  
 ■ Aluminum  
 IP 54    ⌊ GU10  
 ⌋ AC220-240V



Wall Luminaire


Cloud



● 614198 Max.9W

■ Aluminum+Glass

IP 54      ⊣ MR11/GU10  
 □ AC220-240V




● 614199 Max.9W

■ Aluminum+Glass

IP 54      ⊣ MR11/GU10  
 □ AC220-240V

Wall Luminaire

Ideal




● 614193 Max.9W

■ Aluminum+PC

IP 54      ⊣ GX53  
 □ AC220-240V




# Wish



- 611327 8.5W 3000K 206lm
- 611328 8.5W 6500K 206lm
- 611329 8.5W Red 400lm
- 611330 8.5W Green 206lm
- 611331 8.5W Blue 206lm
- 611332 8.5W Yellow 206lm
- 611333 8.5W Purple 206lm

■ Aluminum+PC

IP 54 CRI 80  $\angle$  180°\*3.4  
 AC220-240V  $\text{⏻}$  50,000h



- 613225 8.5W 3000K 108lm
- 613226 8.5W 5700K 196lm
- 613227 8.5W Red 41lm
- 613228 8.5W Green 46lm
- 613229 8.5W Blue 20lm
- 613230 8.5W Purple 38lm
- 613231 8.5W Yellow 161lm

■ Aluminum+PC


IP 54 CRI 80  $\angle$  180°\*6.5  
 AC220-240V  $\text{⏻}$  50,000h





LED Surface Mounted Luminaire

## Blue Sky



● 541079 13W 3000K

■ Aluminum

IP 65 CRI 80

AC220-240V 30,000h

### Blue Sky Series Family Products



● 541112





● 541113



● 541114

LED Surface Mounted Luminaire

## Rainstorm




● 541077 7W 3000K

■ Aluminum

IP 54 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Sparkle






● 541081 3.5W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Serenade



● 541098 11W 3000K


● 541094 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Garden




● 541115 4.5W 3000K

■ Aluminum

IP 54 CRI 80  
AC220-240V 30,000h



# Endless





● 541086 10W 3000K

■ Aluminum

IP 54 CRI 80

AC220-240V ⌚ 30,000h



● 541096 11W 3000K

● 541088 11W 3000K


■ Aluminum

IP 65 CRI 80

AC220-240V ⌚ 30,000h

LED Surface Mounted Luminaire

## Riverbank



● 541133 3.5W 3000K


■ Aluminum

IP 65 CRI 80

AC220-240V ⏱ 30,000h

LED Surface Mounted Luminaire

## Muse



● 541134 3.5W 3000K

■ Aluminum

IP 65 CRI 80

AC220-240V ⏱ 30,000h

LED Surface Mounted Luminaire

## Misty



● 541061 10W 3000K

■ Aluminum

● 541060 10W 3000K

IP 65 CRI 80

AC220-240V ⏱ 30,000h

LED Surface Mounted Luminaire

## Moment



● 541063 9W 3000K

■ Aluminum

● 541062 9W 3000K



IP 65 CRI 80

AC220-240V ⏱ 30,000h



LED Surface Mounted Luminaire

Stillness



- 541151 13W 3000K
- 541152 13.5W 3000K

- 541155 13W 3000K
- 541156 13.5W 3000K

■ Aluminum IP 65 CRI 80 □ AC220-240V ⌚ 30,000h


Stillness Series Family Products



- 541148
- 541149
- 541150
- 541153
- 541154

LED Surface Mounted Luminaire


## Midnight



- 541065 9W 3000K
- 541064 9W 3000K
- Aluminum
- IP 54 CRI 80
- AC220-240V 30,000h

LED Surface Mounted Luminaire



## Snow



- 541095 7W 3000K
- 541066 7W 3000K
- Aluminum
- IP 54 CRI 80
- AC220-240V 30,000h

LED Surface Mounted Luminaire


## Whisperwind



- 541068 7W 3000K
- 541067 7W 3000K
- Aluminum
- IP 54 CRI 80
- AC220-240V 30,000h

LED Surface Mounted Luminaire



## Dreamscape



- 541070 3.5W 3000K
- 541069 3.5W 3000K
- Aluminum
- IP 65 CRI 80
- AC220-240V 30,000h

LED Surface Mounted Luminaire

# Faraway





● 541102 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

# Morning




● 541103 13W 3000K

■ Aluminum


IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

# Moonlit



● 541104 7W 3000K





● 541105 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h



LED Surface Mounted Luminaire

# Velvet



● 541111 7W 3000K

● 541111 7W 3000K



● 541110 13W 3000K


● 541110 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Crystal




● 541106 7W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Moonbeam





● 541108 11W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Boat




● 541107 13W 3000K 698lm

■ Aluminum

IP 65 CRI 80 111°  
AC220-240V 30,000h

LED Surface Mounted Luminaire

## Frost



● 541109 7W 3000K

■ Aluminum


IP 65 CRI 80  
AC220-240V 30,000h





LED Surface Mounted Luminaire

## Roof




- 541075 6W 3000K
- 541076 6W 3000K

- Aluminum
- IP 65 CRI 80
- AC220-240V 30,000h


LED Surface Mounted Luminaire

## Geometry




- 521007 6W 3000K 176lm


- Aluminum
- IP 54 CRI 80 110°\*5°
- AC100-240V 50,000h




● 613323 11W 3000K ■ Aluminum  
**IP 65 CRI 82**  
 □ AC220-240V ⚡ 30,000h



● 613331 6W 3000K ■ Aluminum  
**IP 65 CRI 82**  
 □ AC220-240V ⚡ 30,000h



● 613341 3.5W 3000K ■ Aluminum  
**IP 54 CRI 82**  
 □ AC220-240V ⚡ 30,000h



● 613337 9.5W 3000K ■ Aluminum  
**IP 54 CRI 82**  
 □ AC220-240V ⚡ 30,000h




● 613333 6.5W 3000K ■ Aluminum  
**IP 54 CRI 82**  
 □ AC220-240V ⚡ 30,000h



LED Surface Mounted Luminaire

## Time



● 521150 8W 3000K 530lm


■ Aluminum+ADC12

IP 54 CRI 80

AC100-240V 50,000h

LED Surface Mounted Luminaire

## Luna



● 521268 8W 3000K 530lm

■ Aluminum+Glass


IP 54 CRI 80

AC100-240V 50,000h



LED Surface Mounted Luminaire

## Sky




- 521218 6W 3000K
- 521219 6W 3000K

■ Aluminum

IP 54 CRI 80  
 AC100-240V 30,000h

LED Surface Mounted Luminaire

## Sunset



- 521224 3W 3000K


■ Aluminum

IP 54 CRI 80  
 AC100-240V 30,000h




LED Surface Mounted Luminaire

## Light Chaser



● 521225 8W 3000K



■ Aluminum


IP 54 CRI 80  
 AC100-240V ⚡ 30,000h

LED Surface Mounted Luminaire

## Light Chaser



● 521226 12W 3000K




■ Aluminum

IP 54 CRI 80  
 AC100-240V ⚡ 30,000h



LED Surface Mounted Luminaire

## Even




- 521255 6W 3000K
- 521241 6W 3000K

■ Aluminum

IP 54 CRI 80  
AC100-240V 30,000h

LED Surface Mounted Luminaire

## Rainy Night



- 521267 12W 3000K


■ Aluminum

IP 54 CRI 80  
AC100-240V 30,000h



LED Surface Mounted Luminaire

## Soul




● 521269 10W 3000K

■ Aluminum

IP 54 CRI 80  
 AC100-240V ⌚ 30,000h

LED Surface Mounted Luminaire

## Ripple



● 521262 4W 3000K


■ Aluminum

IP 54 CRI 80  
 AC100-240V ⌚ 30,000h



LED Surface Mounted Luminaire

## MistyShine




- 521239 6W 3000K
- 521253 6W 3000K

■ Aluminum

IP 54 CRI 80  
 AC100-240V ⚡ 30,000h

LED Surface Mounted Luminaire

## Heaven



- 521265 6W 3000K

■ Aluminum


IP 54 CRI 80  
 AC100-240V ⚡ 30,000h





LED Surface Mounted Luminaire

## Wind




- 521240 6W 3000K
- 521254 6W 3000K

- Aluminum
- IP 54 CRI 80
- AC100-240V 30,000h

LED Surface Mounted Luminaire

## Simple




- 521256 12W 3000K
- 521250 12W 3000K

- Aluminum
- IP 54 CRI 80
- AC100-240V 30,000h



LED Surface Mounted Luminaire

## Color




- 521251 12W 3000K
- 521257 12W 3000K

- Aluminum
- IP 54 CRI 80
- AC100-240V 30,000h

LED Surface Mounted Luminaire

## Wonder




- 521242 6W 3000K
- 521263 6W 3000K

- Aluminum
- IP 65 CRI 80
- AC100-240V 30,000h



LED Surface Mounted Luminaire

## Snowdrift




- 521270 12W 3000K
- 521271 12W 3000K

■ Aluminum  
 IP 65 CRI 80  
 AC100-240V 30,000h

LED Surface Mounted Luminaire

## Snowdrift




- 521272 12W 3000K
- 521273 12W 3000K

■ Aluminum  
 IP 65 CRI 80  
 AC100-240V 30,000h



LED Surface Mounted Luminaire

## Snowdrift




- 521274 12W 3000K
- 521275 12W 3000K
- 521276 12W 3000K

■ Aluminum  
**IP 65 CRI 80**  
 AC100-240V ⚡ 30,000h

LED Surface Mounted Luminaire

## Snowdrift




- 521277 12W 3000K
- 521278 12W 3000K
- 521279 12W 3000K

■ Aluminum  
**IP 65 CRI 80**  
 AC100-240V ⚡ 30,000h



LED Surface Mounted Luminaire

## Serene



● 521211

■ Aluminum

IP 54 CRI 80  
AC100-240V 30,000h

Beyond Light,  
To the last details




- 612297 3.5W 3000K
- 612298 3.5W 3000K

■ Die Casting Aluminum +ABS


IP 65 CRI 80  
AC220-240V



# Guidelines




● 521228 5W 3000K 105lm




■ Aluminum+ADC12

IP 65 CRI 80  $\nabla$  110°  
AC100-240V  $\text{⌚}$  30,000h




● 521227 5W 3000K 80lm



■ Aluminum+ADC12

IP 65 CRI 80  $\nabla$  110°  
AC100-240V  $\text{⌚}$  30,000h


# Stroll



- 521252 2W 3000K 60lm
- 521238 2W 3000K 60lm

■ Aluminum+Glass


IP 65 CRI 80  $\angle$  37°  
 AC100-240V 30,000h



- 521248 5W 3000K 150lm

■ Aluminum+ADC12

IP 65 CRI 80  $\angle$  48°  
 AC100-240V 30,000h




- 521249 5W 3000K 150lm

■ Aluminum+ADC12

IP 65 CRI 80  $\angle$  51°  
 AC100-240V 30,000h


# Protector



- 541089 13W 3000K 80lm

■ Aluminum


IP 65 CRI 80  $\angle$  110°  
 AC220-240V 30,000h



- 541074 3W 3000K
- 541073 3W 3000K

■ Aluminum

IP 65 CRI 80  
 AC220-240V 30,000h



- 541072 7W 3000K
- 541071 7W 3000K

■ Aluminum


IP 65 CRI 80  
 AC220-240V 30,000h





LED Recessed Luminaire


Moon



- 621035 2W 3000K 60lm
- 621036 2W 6500K 60lm

■ Stainless Steel+Die Casting Aluminum


IP 65 CRI 80  $\angle$  60°  
 □ AC220-240V



- 621037 2W 3000K 60lm
- 621038 2W 6500K 60lm

■ Stainless Steel+Die Casting Aluminum


IP 65 CRI 80  $\angle$  60°  
 □ AC220-240V



- 621041 2W 3000K 20lm
- 621042 2W 6500K 20lm

■ Stainless Steel+Die Casting Aluminum

IP 65 CRI 80  $\angle$  170°  
 □ AC220-240V



- 621039 2W 3000K 20lm
- 621040 2W 6500K 20lm


■ Stainless Steel+Die Casting Aluminum

IP 65 CRI 80  $\angle$  340°  
 □ AC220-240V



Surface Mounted Luminaire

# Symphony



● 541119 Max.23W

■ Aluminum

IP 44    ⚡ E27  
 ⚡ AC220-240V

## Symphony Series Family Products



● 541116


● 541117

● 541118



Surface Mounted Luminaire


# Oasis



- 541160 Max.23W
- 541161 Max.23W

- Aluminum
- IP 54
- IP 44
- ⬇ E27
- ⬇ AC220-240V

## Oasis Series Family Products



● 541157


● 541158

● 541159



Surface Mounted Luminaire

# Oasis



- 541146 Max.23W
- 541147 Max.18W


■ Aluminum  
IP 54 ⚡ E27  
⏚ AC220-240V

## Oasis Series Family Products



- 541143
- 541144
- 541145

# Coastal-R




● 541034 Max.25W

■ Aluminum

IP 44    ⊥ E27  
AC220-240V

## Coastal-R Series Family Products



● 541031

● 541032

● 541033

# Bliss



● 541038 Max.25W

■ Aluminum

● 541042 Max.25W

IP 44    ⊥ E27  
AC220-240V

## Bliss Series Family Products



● 541035

● 541037


● 541036

● 541039

● 541041

● 541040

# Coastal-S



● 541050 Max.25W ■ Aluminum  
IP 44 ⚡ E27  
AC220-240V



## Coastal-S Series Family Products




● 541047

● 541048

● 541049

# Grace




● 541059 Max.8W

■ Aluminum

IP 44 ⚡ E27  
AC220-240V

# Echo



● 541057 Max.8W

■ Aluminum

IP 44    ⌊ E27  
⌋ AC220-240V

## Echo Series Family Products



● 541058




● 541055



● 541056

# Aurora



● 614226 Max.9W

■ Aluminum

IP 54    ⌊ GU10  
⌋ AC220-240V

## Aurora Series Family Products




● 614227



Surface Mounted Luminaire

## Serein



● 541123 Max.25W

■ Aluminum

IP 44      ⚡ E27  
⏚ AC220-240V

### Serein Series Family Products



● 541120



● 541121




● 541122





Surface Mounted Luminaire

## Melody-R




- 613435 Max.9W
- 613436 Max.9W

■ Aluminum+Glass

IP 54      ⊥ GU10  
 □ AC220-240V

Surface Mounted Luminaire

## Melody-D



- 613437 Max.9W
- 613438 Max.9W

■ Aluminum+Glass

IP 54      ⊥ GU10  
 □ AC220-240V



Surface Mounted Luminaire

Eos



- 613492 Max.9W
- 613490 Max.9W
- 613491 Max.9W

■ Aluminum+Glass

IP 54      ⚡ GU10  
 ⚡ AC220-240V



- 613493 Max.9W
- 613319 Max.9W
- 613320 Max.9W

■ Aluminum+Glass

IP 54      ⚡ GU10  
 ⚡ AC220-240V

# Song



● 621027 Max.18W

■ Aluminum

IP 44   ⌊ E27  
⌋ AC220-240V

# Song



● 621029 Max.60W

■ Aluminum

IP 44   ⌊ E27  
⌋ AC220-240V



● 621028 Max.18W

■ Aluminum

IP 44   ⌊ E27  
⌋ AC220-240V



● 621030 Max.18W

■ Aluminum

IP 44   ⌊ E27  
⌋ AC220-240V



Surface Mounted Luminaire

## Healer-U



● 671268 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

Surface Mounted Luminaire

## Healer-I



● 671269 Max.18W


■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V



Surface Mounted Luminaire

## Healer-S



● 614266 Max.18W

■ Aluminum

IP 44 ⚡ E27

⚡ AC220-240V

### Healer-S Series Family Products



● 614267

# Healer-R



● 671270 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

# Ethereal



● 621031 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

## Healer-R Series Family Products



● 671274



● 671275

## Ethereal Series Family Products



● 621032



● 621033




● 621034



Surface Mounted Luminaire

# Ocean



■ Aluminum  
IP 44   ⚡ GX53  
⏚ AC220-240V

● 541053 Max.8W

## Ocean Series Family Products



● 541054



● 541051




● 541052



Surface Mounted Luminaire

## Sunup




● 521152 Max.18W

■ Aluminum  
IP 54  
□ AC220-240V



Surface Mounted Luminaire

## Sunup



● 521153 Max.18W


■ Aluminum  
IP 54  
□ AC220-240V





Surface Mounted Luminaire

## Mountain



● 521217 Max.18W

■ Aluminum

IP 54  
 □ AC220-240V



Surface Mounted Luminaire

## Rainforest



● 521243 Max.18W

● 521244 Max.18W


■ Aluminum

IP 54  
 □ AC220-240V



Surface Mounted Luminaire

## Wetland




● 521245 Max.18W

■ Aluminum

IP 54  
 ⏏ AC220-240V

Surface Mounted Luminaire

## Hillside



● 521246 Max.18W


■ Aluminum

IP 54  
 ⏏ AC220-240V



Surface Mounted Luminaire

**Dawn**




● 521247 Max.18W

■ Aluminum

IP 54  
AC220-240V


Surface Mounted Luminaire

**Island**



● 521283

IP 54  
AC220-240V



● 521287 Max.18W


■ Aluminum

IP 54  
AC220-240V



Surface Mounted Luminaire

## Lake



● 521296 Max.18W


■ Aluminum

IP 54

⏏ AC220-240V

Surface Mounted Luminaire

## Lake



● 521297 Max.18W


■ Aluminum

IP 54

⏏ AC220-240V




# Glacier



● 521291 Max.18W

■ Aluminum  
IP 54  
AC220-240V



● 521292 Max.18W

■ Aluminum  
IP 54  
AC220-240V




Beyond Light,  
To the last details



Recessed Step Light

Novelty




● 614200 Max.5W

■ Aluminum



IP 54 ⚡ G9  
AC220-240V

Accessories Specifications




● 614201

■ Aluminum




● 614202

■ Aluminum




● 614203

■ Aluminum



● 614205

■ Aluminum




● 614204

■ Aluminum



Recessed Step Light


# Radiant



● 614206 Max.5W


■ Aluminum

IP 54 ⚡ G9  
AC220-240V



● 614207

■ Aluminum



● 614208

■ Aluminum






## LED Bollard & Bollard Luminaire

- LED Bollard Luminaire
- Bollard Luminaire
- Fence Luminaire




## Stillness



● 541148 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V ⚡ 30,000h



● 541149 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V ⚡ 30,000h




● 541150 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V ⚡ 30,000h

## Stillness




● 541153 13W 3000K

■ Aluminum

IP 65 CRI 80

AC220-240V 30,000h



● 541154 13W 3000K

■ Aluminum

IP 65 CRI 80

AC220-240V 30,000h

### Stillness Series Family Products



● 541151

● 541152




● 541155

● 541156

Beyond Light,  
To the last details




# Blue Sky



● 541112 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h



● 541113 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h



● 541114 13W 3000K

■ Aluminum

IP 65 CRI 80  
AC220-240V 30,000h

## Blue Sky Series Family Products


● 541079





LED Bollard Luminaire


## Raindrop



● 521311 8.5W 3000K 500lm

■ Aluminum

IP 65 CRI 85 60°  
AC100-240V 30,000h




● 521312 8.5W 3000K 500lm

■ Aluminum

IP 65 CRI 85 60°  
AC100-240V 30,000h

LED Bollard Luminaire

## Beings



● 521313 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°  
AC100-240V 30,000h




● 521314 13W 3000K 550lm

■ Aluminum

IP 65 CRI 85 140°  
AC100-240V 30,000h

LED Bollard Luminaire

# Glowing



● 521315 8W 3000K 750lm

■ Aluminum

IP 65 CRI 95  $\angle$  100°  
AC100-240V  $\text{⌚}$  30,000h



LED Bollard Luminaire


# Avant



● 521316 7W 3000K 200lm

■ Aluminum

IP 54 CRI 95  $\angle$  70°  
AC100-240V  $\text{⌚}$  30,000h




● 521318 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85  $\nabla$  70°

AC100-240V  $\odot$  30,000h



● 521319 8.5W 3000K 385lm

■ Aluminum

IP 65 CRI 85  $\nabla$  70°


AC100-240V  $\odot$  30,000h

Idyll Series Family Products

● 521317




# Mushroom



● 521321 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85  $\nabla$  120°  
AC100-240V ⌚ 30,000h



● 521322 12.5W 3000K 600lm

■ Aluminum

IP 65 CRI 85  $\nabla$  120°  
AC100-240V ⌚ 30,000h

## Mushroom Series Family Products

● 521320








LED Bollard Luminaire

Autumn




● 521323 12.5W 3000K 445lm

■ Aluminum

IP 65 CRI 85  $\angle$  100°  
 □ AC100-240V ⌚ 30,000h

LED Bollard Luminaire


Knoll



● 521329 13W 3000K 590lm

■ Aluminum

IP 65 CRI 85  $\angle$  180°  
 □ AC100-240V ⌚ 30,000h




● 521330 13W 3000K 590lm


■ Aluminum

IP 65 CRI 85  $\angle$  180°  
 □ AC100-240V ⌚ 30,000h


## Plateau



● 521324 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h




● 521325 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h




● 521327 13W 3000K 220lm  
 ■ Aluminum  
 IP 54 CRI 85 140°  
 AC100-240V 30,000h

## Fairy Ring




● 521326 12.5W 3000K 790lm  
 ■ Aluminum  
 IP 65 CRI 85 180°  
 AC100-240V 30,000h




● 521328 13W 3000K 220lm  
 ■ Aluminum  
 IP 54 CRI 85 140°  
 AC100-240V 30,000h




# Moonlight



● 541162 20W 3000K 470lm  $\nabla$  260° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h



● 541163 20W 3000K 550lm  $\nabla$  270° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h



● 541164 20W 3000K 570lm  $\nabla$  280° ■ Aluminum  
 IP 65 CRI 85  
 □ AC100-240V ⌚ 30,000h


## Moonlight Series Family Products

● 541165






# Changing



- 541169 11W 3000K 370lm
- 541170 11W 4000K 400lm

■ Aluminum  
 IP 65 CRI 85 60°\*2  
 AC100-240V 30,000h



- 541171 11W 3000K 370lm
- 541172 11W 4000K 400lm

■ Aluminum  
 IP 65 CRI 85 60°\*2  
 AC100-240V 30,000h



- 541173 11W 3000K 370lm
- 541174 11W 4000K 400lm

■ Aluminum  
 IP 65 CRI 85 60°\*2  
 AC100-240V 30,000h


## Changing Series Family Products

- 541175
- 541176





# Winter



● 541187 13W 3000K 125lm

■ Aluminum

IP 65 CRI 85 107°

AC100-240V 30,000h



● 541188 13W 3000K 125lm

■ Aluminum

IP 65 CRI 85 107°

AC100-240V 30,000h



● 541189 13W 3000K 125lm


■ Aluminum

IP 65 CRI 85 107°


AC100-240V 30,000h




# SkyEye



- 541192 7W 3000K 270lm ■ Aluminum
- 541193 7W 3000K 270lm IP 54 CRI 85 120°
- 541194 7W 3000K 270lm AC100-240V 30,000h



- 541192 7W 3000K 270lm ■ Aluminum
- 541193 7W 3000K 270lm IP 54 CRI 85 120°
- 541194 7W 3000K 270lm AC100-240V 30,000h



- 541192 7W 3000K 270lm ■ Aluminum
- 541193 7W 3000K 270lm IP 54 CRI 85 120°
- 541194 7W 3000K 270lm AC100-240V 30,000h

## SkyEye Series Family Products

- 541195






Beyond Light,  
To the last details




# Coastal-R



● 541031 Max.25W

■ Aluminum


IP 44      ⊔ E27  
 AC220-240V



● 541032 Max.25W

■ Aluminum

IP 44      ⊔ E27  
 AC220-240V



● 541033 Max.25W

■ Aluminum

IP 44      ⊔ E27  
 AC220-240V







## Coastal-R Series Family Products

● 541034











# Bliss

		<ul style="list-style-type: none"> <li>● 541035 Max.25W</li> <li>● 541039 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27
		<ul style="list-style-type: none"> <li>● 541036 Max.25W</li> <li>● 541040 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27
		<ul style="list-style-type: none"> <li>● 541037 Max.25W</li> <li>● 541041 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27

Bliss Series Family Products

<ul style="list-style-type: none"> <li>● 541038</li> <li>● 541042</li> </ul>	
--	--

# Coastal-S

		<ul style="list-style-type: none"> <li>● 541047 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27
		<ul style="list-style-type: none"> <li>● 541048 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27
		<ul style="list-style-type: none"> <li>● 541049 Max.25W</li> </ul>	<ul style="list-style-type: none"> <li>■ Aluminum</li> <li>IP 44</li> <li>□ AC220-240V</li> </ul>	⊥ E27


Coastal-S Series Family Products

<ul style="list-style-type: none"> <li>● 541050</li> </ul>	
--	---



Bollard Luminaire


# Symphony



● 541116 Max.23W ■ Aluminum  
 IP 44 ⚡ AC220-240V ⚡ E27



● 541117 Max.23W ■ Aluminum  
 IP 44 ⚡ AC220-240V ⚡ E27



● 541118 Max.23W ■ Aluminum  
 IP 44 ⚡ AC220-240V ⚡ E27


## Symphony Series Family Products



● 541119




# Serein



● 541120 Max.25W

■ Aluminum


IP 44      ≡ E27  
 AC220-240V



● 541121 Max.25W

■ Aluminum

IP 44      ≡ E27  
 AC220-240V



● 541122 Max.25W

■ Aluminum

IP 44      ≡ E27  
 AC220-240V


## Serein Series Family Products

● 541123






# Ethereal



● 621032 Max.18W

■ Aluminum


IP 54 ⚡ E27  
⏚ AC220-240V



● 621033 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V



● 621034 Max.18W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

## Ethereal Series Family Products



● 621031





Bollard Luminaire

## Planet




● 671273 Max. 18W

■ Aluminum

IP 54 ⊥ E27  
 □ AC220-240V

Bollard Luminaire


## Starry Night



● 614367 Max. 9W

■ Aluminum+Glass

IP 54 ⊥ GU10  
 □ AC220-240V




● 614368 Max. 9W

■ Aluminum+Glass

IP 54 ⊥ GU10  
 □ AC220-240V

# Aurora



● 614227 Max.9W

■ Aluminum

IP 54 ⚡ GU10

⚡ AC220-240V


## Aurora Series Family Products

● 614226






# Ocean



● 541054 Max.8W

■ Aluminum


IP 44 ⚡ GX53  
⏚ AC220-240V



● 541051 Max.8W

■ Aluminum

IP 44 ⚡ GX53  
⏚ AC220-240V



● 541052 Max.8W

■ Aluminum


IP 44 ⚡ GX53  
⏚ AC220-240V

## Ocean Series Family Products

● 541053




# Echo



● 541058 Max.8W

■ Aluminum


IP 44   ⚡ GX53  
⏚ AC220-240V



● 541055 Max.8W

■ Aluminum

IP 44   ⚡ GX53  
⏚ AC220-240V



● 541056 Max.8W

■ Aluminum

IP 44   ⚡ GX53  
⏚ AC220-240V

## Echo Series Family Products



● 541057







# Oasis



■ Aluminum

IP 44


⏏ AC220-240V

## Oasis Series Family Products



- 541160
- 541161


# Celestial



● 614365 Max.9W

■ Aluminum+Glass

IP 54 ⚡ GU10  
⏚ AC220-240V



● 614366 Max.9W

■ Aluminum+Glass

IP 54 ⚡ GU10  
⏚ AC220-240V



Bollard Luminaire

## Healer-S



● 614267 Max.18W

■ Aluminum

IP 44

⊔ E27

⏚ AC220-240V

### Healer-S Series Family Products

● 614266






## Healer-R



● 671274 Max.18W

■ Aluminum

IP 54 ⌊ E27  
 ⌋ AC220-240V



● 671275 Max.18W

■ Aluminum

IP 54 ⌊ E27  
 ⌋ AC220-240V

### Healer-R Series Family Products

● 671270





# Dream



● 671276 Max.9W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



● 671277 Max.9W



■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



Fence Luminaire

## Creek



● 541092 Max.25W



■ Aluminum

IP 44 ⚡ E27

🔌 AC220-240V

Fence Luminaire

## Mirror



● 612090 8.5W 3000K 396lm


● 612091 8.5W 3000K 396lm

■ Aluminum

IP 65 CRI 80 📐 111°

🔌 AC220-240V ⌚ 50,000h


# Oasis



● 541143 Max.23W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V



● 541144 Max.23W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V



● 541145 Max.23W


■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V



Fence Luminaire


## Oasis



● 541139 20W

■ Aluminum

IP 65  
AC220-240V



● 541140 20W

■ Aluminum

IP 44 ⚡ E27  
AC220-240V

Fence Luminaire

## Oasis



● 541141 Max.23W

■ Aluminum

IP 54 ⚡ E27  
AC220-240V




● 541142 Max.23W

■ Aluminum

IP 54 ⚡ E27  
AC220-240V




# Charm-R



- 521284 Max.18W
- 521298 Max.18W

■ Aluminum+ADC12


IP 54 ⊃ E27  
 ⏏ AC220-240V



- 521285 Max.18W
- 521299 Max.18W

■ Aluminum+ADC12

IP 54 ⊃ E27  
 ⏏ AC220-240V




- 521286 Max.18W
- 521300 Max.18W

■ Aluminum+ADC12

IP 54 ⊃ E27  
 ⏏ AC220-240V


# Charm-S



- 521288 Max.18W

■ Aluminum+ADC12


IP 54 ⊃ E27  
 ⏏ AC220-240V



- 521289 Max.18W
- 521294 Max.18W

■ Aluminum+ADC12

IP 54 ⊃ E27  
 ⏏ AC220-240V



- 521290 Max.18W
- 521295 Max.18W

■ Aluminum+ADC12

IP 54 ⊃ E27  
 ⏏ AC220-240V




## Projector Series

- Projector Luminaire
- LED Surface-Mounted Luminaire
- LED Spike Projector Luminaire
- Surface-Mounted Luminaire
- Spike Projector Luminaire



Projector Luminaire


## Venus



● 612593 7.5W 3000K 434lm

■ Aluminum

IP 65 CRI 80  $\nabla$  15°  
 □ AC220-240V




● 612594 17W 3000K 1342lm

■ Aluminum

IP 65 CRI 80  $\nabla$  15°  
 □ AC220-240V

Projector Luminaire

## Saturn



● 671278 Max. 9W

■ Aluminum

IP 65  $\perp$  GU10  
 □ AC220-240V



Projector Luminaire

## Mars



● 521280 Max. 9W

■ Aluminum

IP 54 ⚡ E27  
⏚ AC220-240V

Projector Luminaire

## Jupiter




● 541100 Max.20W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V




## Azure Lake



● 541124 13W 3000K 754lm

■ Aluminum

IP 65 CRI 80  $\angle$  24°  
AC220-240V 30,000h



● 541127 20W 3000K 1500lm


■ Aluminum

IP 65 CRI 80  $\angle$  24°  
AC220-240V 30,000h




LED Surface-Mounted Luminaire

## Azure Lake



● 541126 13W 3000K 754lm ■ Aluminum

IP 65 CRI 80 24°  
 AC220-240V 30,000h



● 541129 20W 3000K 1500lm ■ Aluminum


IP 65 CRI 80 24°  
 AC220-240V 30,000h



# Azure Lake



● 541125 13W 3000K ■ Aluminum  
 IP 65 CRI 80 20°  
 AC220-240V 30,000h




● 541128 20W 3000K ■ Aluminum  
 IP 65 CRI 80 20°  
 AC220-240V 30,000h



Surface-Mounted Luminaire


Artistry



● 541130 Max.20W

■ Aluminum

IP 65  
AC220-240V



● 541132 Max.20W


■ Aluminum

IP 65  
AC220-240V






# Neptune



● 541099 Max. 20W

■ Aluminum


IP 65 ⚡ GU10  
⏚ AC220-240V



● 541131 Max. 20W

■ Aluminum


IP 65 ⚡ GU10  
⏚ AC220-240V



● 612063 Max. 9W

■ Aluminum


IP 65 ⚡ GU10  
⏚ AC220-240V



● 612464 Max. 9W

■ Aluminum

IP 65 ⚡ GU10  
⏚ AC220-240V



● 613993 Max. 9W

■ Aluminum+ADC12


IP 65 ⚡ GU10  
⏚ AC220-240V



## In-Ground Luminaire Series

- LED In-ground Luminaire
- In-Ground Luminaire


## Star Sea



● 521301 3.5W 3000K 13lm

■ Aluminum+ADC12


IP 65 CRI 80  
AC100-240V 50,000h



● 521302 6W 3000K 24lm

■ Aluminum+ADC12

IP 65 CRI 80  
AC100-240V 50,000h




● 521303 10.5W 3000K 40lm

■ Aluminum+ADC12

IP 65 CRI 80  
AC100-240V 50,000h


## Seafarer



● 612163 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80  
AC220-240V 50,000h



● 612164 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80  
AC220-240V 50,000h




● 612165 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80  
AC220-240V 50,000h


# Seafarer



● 612166 7.5W 3000K 715lm

■ Aluminum+SS3/4


IP 67 CRI 80  
AC220-240V 50,000h



● 612167 15W 3000K 1338lm

■ Aluminum+SS3/4

IP 67 CRI 80  
AC220-240V 50,000h




● 612168 30W 3000K 2682lm

■ Aluminum+SS3/4

IP 67 CRI 80  
AC220-240V 50,000h

# Luminosity




● 612169 7.5W 3000K 500lm

■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h




● 612170 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h




● 612171 27.5W 3000K 2437lm

■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h

# Luminosity




● 612172 7.5W 3000K 500lm

■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h




● 612173 17W 3000K 1385lm

■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h



● 612174 27.5W 3000K 2437lm


■ Aluminum+SS3/4

IP 67 CRI 80

AC220-240V 50,000h



# Nebula




- 521201 2.5W 3000K
- 521306 2.5W 3000K
- 521307 2.5W 3000K

■ Aluminum

IP 67 CRI 80

⏻ AC100-240V ⌚ 30,000h




- 614225 3W 2700K

■ Aluminum

IP 67 CRI 80

⏻ DC24V ⌚ 30,000h

# Nebula



- 521304 1.6W 3000K
- 521305 1.6W 3000K
- 521098 1.6W 3000K
- 521129 1.6W 3000K
- 521125 1.6W 3000K


■ Aluminum

IP 67 CRI 80

AC100-240V ⚡ 30,000h




# Meteor



- 521202 2.5W 3000K  $\nabla$  161°
- 521203 2.5W 3000K  $\nabla$  11°/91°

■ Aluminum


IP 67 CRI 80  
 AC100-240V 30,000h



- 521231 2.5W 3000K  $\nabla$  13°/63°
- 521232 2.5W 5700K  $\nabla$  13°/63°

■ Aluminum

IP 67 CRI 80  
 AC100-240V 30,000h




- 521236 2.5W 3000K  $\nabla$  18°/90°

■ Aluminum


IP 67 CRI 80  
 AC100-240V 30,000h




# Milky Way




● 612513 4.4W 3000K 238lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h



● 612517 8W 3000K 715lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h





● 612514 4.4W 3000K 302lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h




● 612518 8W 3000K 715lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h



# Comet




● 612515 3.4W 3000K 79lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h



● 612519 8.2W 3000K 468lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h




● 612516 3W 3000K 37lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h



● 612520 5.4W 3000K 89lm  
 ■ Aluminum  
 IP 65 CRI 80  
 □ AC220-240V ⌚ 50,000h


# Supernova



● 613232 Max.9W

■ Stainless Steel  
+Die Casting Aluminum

IP 65    ⌊ MR11 GU10  
⌋ AC220-240V




● 613233 Max.9W

■ Stainless Steel  
+Die Casting Aluminum

IP 65    ⌊ MR11 GU10  
⌋ AC220-240V




# Nightfall



● 612175 Max.9W

■ Aluminum+SS304

IP 65    ⌊ GU10  
⌋ AC220-240V



● 612176 Max.9W

■ Aluminum+SS304




IP 65    ⌊ GU10  
⌋ AC220-240V



## Wall Grazer

- LED Wall Grazer Luminaire
- LED Wall Grazer

# Rosy Dawn



- 612833 12W 3000K 800lm
- 612834 18W 3000K 1400lm
- 612835 24W 3000K 1800lm
- 612836 36W 3000K 2800lm

■ Aluminum


IP 65 CRI 80

AC220-240V ⏱ 30,000h




- 612838
- 612837

■ Aluminum



# Guide



- 611607 18W 3000K 1531lm
  - 611608 18W R/G/B DMX512 536lm
  - 611609 24W 3000K 2124lm
  - 611610 24W R/G/B DMX512 666lm
  - 611611 36W 3000K 3122lm
  - 611612 36W R/G/B DMX512 1077lm
- Die-casting Aluminum
- IP 65 CRI 80 15x60°  
 AC220-240V 30,000h

RGB Controller



DMX512 Signal Amplifier



Controller



Connector




Beyond Light,  
To the last details



## Solar Light



- LED Solar Street Light
- LED Solar Surface-Mounted Luminaire
- LED Solar Bollard Luminaire
- LED Solar Spike Luminaire
- LED Solar Wall Luminaire
- LED Solar Flood Light Luminaire

LED Wall Grazer



LED Solar Street Light Luminaire

Sunbeam



LED Solar Street Light Luminaire

Sunlit



- 613342 8W 3000K 800lm
- 613343 8W 4000K 850lm
- 613344 15W 3000K 1600lm
- 613345 15W 4000K 1650lm
- 613346 40W 4000K 4800lm

■ ABS+PC

IP 65 CRI 80  $\angle$  110°  
 □ AC220-240V ⌚ 35,000h

- 613347 6W 3000K 800lm
- 613348 6W 4000K 850lm
- 613349 8.5W 3000K 850lm
- 613350 8.5W 4000K 900lm


■ ABS+PC

IP 65 CRI 80  $\angle$  110°  
 □ AC220-240V ⌚ 35,000h



LED Solar Surface-Mounted Luminaire

## Sunshine




● 614214 4.5W 3000K/4000K 350lm

■ Aluminum+PC

IP 65 CRI 80 120°  
5V 35,000h

Tube




● 614217

■ Aluminum+PC

LED Solar Surface-Mounted Luminaire

## SunBreeze



● 614215 4.5W 3000K/4000K 250lm

■ Aluminum+PC

IP 65 CRI 80 180°  
5V 35,000h

Tube



● 614217

■ Aluminum+PC





# Galaxy




● 614216 4.5W 3000K/4000K 250lm ■ Aluminum+PC  
 IP 65 CRI 80 180°  
 5V 35,000h

Tube



● 614218 ■ Aluminum+PC

# Interstellar



● 614364 2W 3000K 200lm  
■ PC+ABS  
IP 65 CRI 80  $\angle$  80°  
⏻ 4.5V ⌚ 15,000h




● 614788 1.8W 3000K 100lm  
■ PC  
IP 65 CRI 80  $\angle$  30°  
⏻ 5.5V ⌚ 15,000h



● 614789 1.5W 3000K 30lm  
■ PC  
IP 54 CRI 80  $\angle$  120°  
⏻ 5.5V ⌚ 15,000h


# Cosmic



● 614783 4W 3000K 300lm

■ ABS +PC


IP 65 CRI 80  $\angle$  110°  
 ⚡ 5V ⌚ 35,000h



● 614784 1W 3000K 36lm

■ ABS+PC+Glass

IP 65 CRI 80  $\angle$  90°  
 ⚡ 5V ⌚ 35,000h




● 614785 2W 3000K 100lm


■ ABS+Glass

IP 65 CRI 80  $\angle$  110°  
 ⚡ 5V ⌚ 35,000h

## Accessories




● 614791



● 614792

# Cosmic



● 614786 1W 3000K 50lm

■ Aluminum+PC

IP 65 CRI 80  $\angle$  120°  
 ⚡ 5V ⌚ 35,000h



● 614787 1W 3000K 36lm

■ Aluminum+PC

IP 65 CRI 80  $\angle$  120°  
 ⚡ 5V ⌚ 35,000h



● 614790 3W 3000K 225lm

■ Aluminum+PC

IP 65 CRI 80  $\angle$  180°  
 ⚡ 5V ⌚ 35,000h



LED Solar Flood Light Luminaire

## Star



- 613158 5W 3000K 1120lm
  - 613159 5W 4000K 1160lm
  - 613160 5W 6000K 1210lm
- Aluminum+Silicon
- IP 65 CRI 80 60°
- AC220-240V 30,000h



Contact Us

[global@illuslighting.com](mailto:global@illuslighting.com)

[www.illuslighting.com](http://www.illuslighting.com)

Find us in KSA,UAE, Oman, Kuwait, Qatar, Egypt, Spain, China.